

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	27	(split\$4 divid\$4) same xml same (fragment\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 13:35
L2	14	1 and encod\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 13:40
L3	2455659	"14" and (position xpath)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 13:41
L4	10	2 and (position xpath)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 14:35
L5	1	"20040064481"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 14:35
L6	0	5 and (physical logical)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 15:03
L7	1	5 and type\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 15:23
L8	1	5 and extract\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 15:25
L9	1	5 and (uri or link or hyperlink\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 15:25
S1	3417	715/513,530.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/02 15:27
S2	3579	707/102.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/02 15:27
S3	1260	707/103R.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/02 15:27

S4	2468	707/103Y,103Z,200.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/02 15:28
S5	12	(split\$4 divid\$4) with xml with (fragment\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/03 13:11



Welcome United States Patent and Trademark Office

[Search Session History](#)
[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)

Fri, 3 Feb 2006, 3:51:46 PM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- | | |
|----|---|
| #1 | ((split or divide<in>metadata) <and> (xml<in>metadata))
<and> (fragment<in>metadata) |
| #2 | ((xml<in>metadata) <and> (fragment<in>metadata))<and>
(rule<in>metadata) |
| #3 | ((object<in>metadata) <and> (configuration<in>metadata))
<and> (xml<in>metadata) |
| #4 | ((xml<in>metadata) <and> (object <in>metadata))<and>
(fragment<in>metadata) |
| #5 | ((xml<in>metadata) <and> (reference<in>metadata))<and>
(object<in>metadata) |
| #6 | ((xml<in>metadata) <and> (encoding rule<in>metadata)) |
| #7 | ((multiple fragments<in>metadata) <and>
(xml<in>metadata)) |
| #8 | ((xml<in>metadata) <and> (configuration rule<in>metadata))
<and> (fragment<in>metadata) |
| #9 | ((xml <in>metadata) <and> (configuration
rule<in>metadata)) |



indexed by
Inspec

[Help](#) [Contact Us](#) [Privacy & S](#)

© Copyright 2006 IEEE --